股加展電子(香港)有限公司

P&Z Electronic (Hongkong) Co.,Ltd

E-mail:sales@dgpinzhan.com

Web site:http://www.dgpinzhan.com

Skype:justin029



High-frequency Transformer
PO2620H Series


Parameters/Dimensions: PO2620H Type 1


Information: Shape: PQ2620H 1 About Power:95W

2 Mounting

Orientation:Horizontal 3 Size: 28(W) *23(L) *28(H) 4 Effective Ae (mm2): 119

28.0Max PZ-PQ2620H-XXXX 80.82 4.0±0.5 + 0.8±0.1





Parameters/Dimensions: PQ2620H Type 2


Information: Shape: PQ2620H 1 About Power:95W


2 Mounting

Orientation:Horizontal

3 Size: 28(W) *28(L) *34(H)

4 Effective Ae (mm2): 119





bbin type listed in the traditional style, transformer design parameters to customer needs or to inject preva

PQ series high-frequency transformer features:

Low loss, low temperature, anti-jamming performance, reasonable shape, large power range (40W-600W), can effectively reduce installation size, with multiple pins to facilitate wound wiring. Low assembly cost, easy to meet safety requirements, but standardization than the southern.

Uses:

Main power transformers, drive transformers, smoothing chokes, auxiliary power transformer. Mainly used in networking, communications, power, electrical equipment, medical and other fields.